



Nara Space Satellite Imagery Analytics Package

Nara Space collaborates with global data partners and leverages multi-sensor data fusion technologies to deliver highly accurate analytics results













MULTI-SENSOR DATA FUSION


Satellite Analytics Across Key Sectors















Why Disaster Management Needs Satellite Data



Why Disaster Management Needs Satellite Data

Key Applications

Value for Disaster Stakeholders

Governments

Disaster response, infrastructure recovery planning, population impact analysis

Save lives with faster situational awareness


Parametric Insurance

Trigger payouts automatically using measurable satellite indicators (flood extent, burned area, etc.)

Save money by reducing fraud and speeding up insurance claims

Humanitarian Relief


Prioritize aid allocation based on satellitederived damage maps Build resilience through long-term risk mapping and early warning systems




How We Work With Customers

1 Customer Understanding

- -Interview with customers to define needs
- -Identify decision points and data requirements






Disaster Aanlytics Targets


We provide customized Analytics solutions for each disaster type



Identify the current situation at a glance by detecting and grading the damaged area.



Clearly distinguish flooded areas that are difficult to find with optical satellites.




We provide high accuracy with over 1,000 actual landslide data records.



Al Deep Learning-Based Wildfire Damaged Assessment

2025 Eaton Fire Burned Area



Technical Specifications

Recommended Resolution 3 m - 10 m

Input Data RGBN bands Before and After the Disaster

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Accurate detection regardless of the environment

An Al model that maintains high accuracy even under diverse terrain and weather conditions.


- **2** Reliable Quantified Results
 - Providing a Probability Map alongside the detection results allows for confirmation of the certainty of the results as a numerical value from 0 to 100%.
 - · Offers confidence information necessary for decision-making.
- 3 Automatic Assessment of Damage Severity

Assesses damage severity alongside area detection, supporting the prioritization of recovery efforts.



Spectral Index-Based Detection of Wildfire Damaged Area

2025 Burned Area Expansion from Uiseong to Yeongdeok



Technical Specifications

Available Resolution Irrelevant

Input Data Red&NIR bands or NIR&SWIR bands Before and After the Disaster

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Detection of Damage Invisible to the Naked Eye

Precisely detects subtle damages which cannot be reliably identified by the human eye, using spectral index analytics.

2 Scientifically Backed Assessment of Current Conditions

Uses objective data analytics to clearly define the scope and severity of the damage.


3 Flexible Map Resolution Support

Choose the resolution that fits your needs- from wide-area maps for emergency response to high-resolution maps for detailed recovery planning.



Wildfire Damage Levels Classification

2025 Burned Area by Wildfire Severity from Uiseong to Yeongdeok



Technical Specifications

Available Resolution Irrelevant

Input Data Red&NIR bands or NIR&SWIR bands Before and After the Disaster

Output Format Raster (GeoTiff, PNG) and Vector (GeoJson) separated by Low-Medium-High Severity

Key Advantages

1 Three-Stage Damage Severity Classification

Divides the affected area into three categories: High, Medium, and Low.

2 Color-Coded Damage Map by Severity

Color-coded maps help users visualize each severity level, allowing them to understand impact at a glance.


3 Customizable Map Resolution by Use Case

Choose the most suitable map resolution for your use case, from highresolution maps for detailed recovery planning to wide-area maps for emergency response.



Al Deep Learning-Based Flood Damaged Area Assessment

Applied the 2022 Eastern Australia Flood



Technical Specifications

Recommended Resolution 3 m

Input Data RGBN bands

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Highly Precise Water Body Detection

Our deep-learning models identify water-covered areas with high precision.

Pre- and Post-Flood Comparative Analytics

Measures the true extent of flooding by comparing water-coverage changes across pre- and post-event satellite data.


3 Reliable Analytics Results

By combining detection and probability maps, we provide a clear numerical measure of result confidence.



Spectral Index-Based Detection of Flood-Damaged Area

2024 flood case in the vicinity of Sinuiju, North Korea



Technical Specifications

Available Resolution Irrelevant

Input Data Green&NIR bands or NIR&SWIR bands Before and After the Disaster

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Detection of Damage Invisible to the Naked Eye

Precisely detects subtle damages which cannot be reliably identified by the human eye, using spectral index analytics.

2 Scientifically Backed Assessment of Current Conditions

Uses objective data analytics to clearly define the scope and severity of the damage.


3 Flexible Map Resolution Support

Choose the resolution that fits your needs- from wide-area maps for emergency response to high-resolution maps for detailed recovery planning.



SAR-Based Flood Damage Area Detection

2024 Flooded Area Detection Result in Laguna



Technical Specifications

Available Resolution 10 m ~

Input Data SAR Backscatter Coefficient Images Before and After the Disaster

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Pre- and Post-Disaster Flood Extent Detection

Uses SAR (Synthetic Aperture Radar) data to monitor flooded areas before and after a disaster, even under cloud, fog, or nighttime conditions.

High-Precision Analytics Using Water Surface Reflection Properties

Analyzes changes in radar backscatter from water surfaces to accurately map flooding, including in areas not accessible to optical.


3 Optimized for Time-Critical Disaster Response

Enables rapid analytics without weather or cloud limitations, supporting timely damage assessment and urgent response operations.

Landslide / Earthquake / Ground Subsidence

Al Deep Learning-Based Landslide Damaged Assessment

2022 Gyeongju soil landslide case caused by heavy rain



Technical Specifications

Recommended Resolution 3 m

Input Data RGBN bands Before and After the Disaster

Output Format Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Accuracy Proven Across Diverse Terrain

Trained on more than 1,000 real-world landslide cases from mountainous, hilly, and other regions worldwide, our models maintain high accuracy across different geographic environments.

2 Reliable Quantified Results

By providing both probability and classification maps, detection confidence is quantified on a 0–100% scale, giving decision-makers reliable results they can confidently act on.


3 Multiple Output Formats for Immediate Use

Delivers data ready for direct use in GIS software and web platforms, available in both raster (GeoTIFF, PNG) and vector (GeoJSON) formats.

Landslide / Earthquake / Ground Subsidence

Spectral Index-based Detection of Landslide Damage Areas

2022 Typhoon Hinnamnor Landslide: Mt. Toham, Gyeongju



Technical Specifications

 Recommended Resolution
 Irrelevant

 Input Data
 RGBN Bands Before and After a Landslide

 Output Format
 Raster (GeoTiff, PNG), Vector (GeoJson)

Key Advantages

1 Landslide-Optimized Spectral Analytics

Accurately tracks changes from vegetation loss to exposed soil using advanced spectral index analytics.

2 Multi-Satellite Ready

Seamlessly applies to major optical satellite sources, including Sentinel-2, Landsat 8/9, and PlanetScope, for flexible integration into existing workflows.


3 Wide-Area Rapid Monitoring

Delivers fast analytics of extensive mountainous regions using satellite imagery across multiple resolutions.

Landslide / Earthquake / Ground Subsidence

InSAR-Based Ground Subsidence Monitoring

2023 Türkiye-Syria Earthquake



Technical Specifications

Available Resolution 10 m SAR SLC Image Before and After the Event **Input Data** Raster (GeoTiff, PNG) **Output Format**

Key Advantages

Standardized, Automated Analytics Workflow


From satellite data acquisition to subsidence calculation, all processing is automated through a standardized workflow, ensuring fast delivery and consistent analytics quality.

Rapid Wide-Area Diagnosis

Quickly analyzes tens of square kilometers using satellite imagery, enabling timely provision of ground displacement insights across large areas.

Millimeter-Level Precision in Displacement Measurement

Measures ground subsidence with millimeter-level accuracy—including subsidence velocity and cumulative displacement—providing quantitative data you can trust for critical decisions.






Analysis Item Structure

The report follows a clear structure, offering a ready-to-use default format along with optional elements that can be customized for specific needs


Analysis Item Structure

Default Composition



Risk Map


Identifies the risk level before and after a disaster occurs and suggests corresponding response measures.



Damage Cost Estimation

Quickly and accurately calculates the economic loss caused by the disaster.

Optional Selections




Object Detection

Precisely monitors the location and change of objects of interest using Albased video/image analysis.

Wildfire Risk Mapping / Essential Analytics

2023 Southern California Wildfire



Technical Specifications

Recommended Resolution 3 m - 10 m

Input Data PlanetScope, Sentinel-2, Landsat-8, DEM, Wind velocity, VPD, Relative humidity and so on, Before and After the Disaster

Output Format Raster (GeoTiff, PNG)

Key Advantages

1 Pinpointing high-risk areas

Analyze environmental data and satellite imagery to accurately map the extent of vulnerable regions.

2 Anticipating wildfire risk


Leverage meteorological and climatological data to estimate spatial risk levels in advance of wildfire event.

Intuitive, color-coded risk visualization

Color-coded risk levels and clearly highlighted risk zones allow even nonexperts to instantly understand both the severity and spatial extent of risk.

Flood Risk Mapping / Essential Analytics

2025 monsoon-driven flooding



Technical Specifications

Recommended Resolution 3 m - 10 m

Input Data Sentinel-1 (SAR), Sentinel-2 (EO), Land cover and DEM,
Before and After the Disaster

Output Format Raster (GeoTiff, PNG)

Key Advantages

1 Reliable monitoring in any weather, day or night

By fusing optical and SAR satellite imagery, we can continuously monitor flood-affected areas, even through cloud cover or in complete darkness.

2 High-precision flood risk mapping with terrain insights


Integrating Digital Elevation Models (DEM) with drainage network data enables precise analysis of topography-driven flood-vulnerable zones and water flow paths.

Early identification of river flooding and low-lying area inundation risks

Provide timely, location-specific insights into areas vulnerable to river overflow or low-elevation flooding, enabling faster decision-making, proactive mitigation, and reduced secondary damage.

Landslide Risk Mapping / Essential Analytics

2024 Nepal landslide triggered by record-breaking rainfall



Technical Specifications

Recommended Resolution 3 m - 30 m

Input Data Sentinel-2 (EO), Land cover, DEM, Slope, Precipitation, Soil

moisture, Before and After the Disaster

Output Format Raster (GeoTiff, PNG)

Key Advantages

1 Specify the risk area

Analyzing data with high spatial resolution to specifically identify locations at risk of damage.

Joint Utilization of Geological, Soil, and Climate Factors


By integrating diverse topographical and climate data, such as slope, land cover, precipitation, and soil moisture, landslide-vulnerable areas are analyzed from multiple perspectives.

3 Predicting the risk area of landslides

Based on topographical and climate conditions, information is provided by predicting areas with a high probability of landslide occurrence in advance.

Damage Cost Estimation / Essential Analytics

2024 Hwaseong-si, Gyeonggi-do



Technical Specifications

Available Resolution

Input Data

PlanetScope, Sentinel-2, Landsat-8, DEM, Wind velocity, VPD, Relative humidity and so on, Before and After the Disaster

Output Format

Raster (GeoTiff, PNG)

Key Advantages

1 Establishment of Maps Monetizing Disaster Damage Value by Land Cover Type

Database expected damage costs in the event of a disaster, presenting differentiated damage costs based on the type of disaster.

2 Allows rapid estimation of damage cost upon disaster occurrence

By combining diverse spatial data, such as real estate and infrastructure information, with the actual damage area, the total damage cost can be calculated quickly immediately after a disaster.

3 Assessment of Damage Scope on a Wide Scale


By quickly assessing the overall damage distribution using satellite imagery covering a vast area, the data can be utilized for determining emergency response priorities.



Object Detection - Urban / Selected Option

Urban Area Detection Based on SAR Imagery

Daejeon Yuseong-gu Optical Imagery



Technical Specifications

3 m (TerraSAR-X), 5 m (KOMPSAT-5) **Available Resolution**

SAR GRD Image Before and After the Event **Input Data**

Raster (GeoTiff, PNG) **Output Format**

Key Advantages

Extraction of building-specific SAR scattering mechanisms

Achieve high-precision detection by analyzing building-specific SAR scattering behaviors—such as shadowing and double-bounce effects—far surpassing the limitations of traditional backscatter-only analysis.

High-precision detection of urban environments

Using extracted morphological features, our solution can accurately identify densely built-up zones and urban structures, enabling valuable applications in urban planning, infrastructure monitoring, and post-disaster damage assessment.

Comparative analytics across multiple imagery types


Enable robust cross-verification by comparing not only identical SAR images but also data from different SAR sensors, providing a more comprehensive and multi-layered analytical perspective.

Object Detection - Buildings, Roads / Selected Option

Optical Image-Based Building Detection



Optical Image-Based Road Detection




Technical Specifications

Recommended Resolution Training Data Massachusetts Dataset (1 m), Inria Aerial Dataset (Aerial Image, 30 cm), SpaceNet2 Dataset (WorldView-3, 30 cm), Al Hub Land Cover Map Data (Aerial Image, 50 cm) **RGB** band **Input Data Output Format** Raster (GeoTiff, PNG), Vector (GeoJson)

Technical Specifications

Recommended Resolution ~ 1 m Deepglobe Dataset (50 cm Satellite Imagery), Massachusetts **Training Data** Dataset (1 m), Al Hub Land Cover Map Data (Aerial Image, 50 cm) **RGB** band **Input Data** Raster (GeoTiff, PNG), Vector (GeoJson) **Output Format**

Key Advantages: Object Detection - Buildings, Roads









Robust model trained on diverse global datasets


Trained on a wide range of domestic and international datasets—including Massachusetts, Inria Aerial, SpaceNet2, and Al Hub—delivering stable detection performance across different regions and environmental conditions.

2

Ultra-high-resolution satellite and aerial imagery (≤ 1 m)

Supports imagery with resolutions down to sub-meter level, including drone and aerial data, enabling highly accurate building boundary extraction and achieving an mloU of 0.84 on imagery below 50 cm.

Object Detection - Transportation Means / Selected Option



Technical Specifications

Recommended Resolution ~ 0.5 m

Training Data Self-Constructed Data (Pleiades, Pleiades Neo), DOTA Dataset

(Satellite and Aerial Imagery), Al Hub (Kompsat-3, Kompsat-3A)

Input Data RGB band

Output Format Vector (GeoJson, SHP)

Key Advantages

1 Training on multi-resolution satellite and aerial imagery

Leveraging datasets such as Pleiades, Pleiades Neo, and DOTA, we combine imagery at various resolutions with Super-Resolution (SR) outputs to deliver robust detection performance at 0.5 m-class high resolution.

2 Enhanced accuracy through Super-Resolution integration

By sharpening object boundaries with advanced Super-Resolution technology, we simultaneously improve detection accuracy and the visual quality of the results.

High-precision detection across five transportation classes


The model distinguishes multiple transportation asset types—such as fire trucks, heavy vehicles, ships, and aircraft—achieving an average recall above 0.98 accuracy across five transportation classes.

Transportation Means Object Detection Accuracy								
Class	Small vehicle	Large vehicles	Ships	Airplanes	Average			
Recall	0.98	0.93	1.00	1.00	0.98			
AP	0.90	0.73	0.94	0.90	0.87			



Super Resolution

3X Super Resolution to a WorldView Legion (30 cm) image



Key Advantages

High-quality super-resolution tailored to your satellite imagery

Incorporates satellite-specific characteristics—such as brightness, noise patterns, and atmospheric effects—to preserve original features while enhancing spatial resolution, enabling more precise object detection and analysis.

Fast processing of large-scale imagery through model lightweighting and optimization

By lightweighting the model and optimizing inference, high-volume, large-area satellite imagery can be processed at high speed, ensuring both high throughput and consistent image quality.

Maximizing value from existing low-resolution imagery and reducing costs


By upscaling existing low-resolution archives—such as Landsat and Sentinel—into high-resolution products, you can reduce reliance on costly high-resolution acquisitions while significantly increasing data utilization.

Boosting accuracy across multiple analysis workflows

Applying super-resolution enhances performance in change detection, object detection, and disaster monitoring, improving both detection accuracy and overall analysis quality.

Super Resolution

Accuracy Improvement After SR Application



Performance Improvement Cases Before / After SR Application

Performance Improvement Cases Before/After SR Application								
Class	Small vehicle	Large vehicles	Ships	Airplanes	Average			
Recall	0.61 → 0.98	0.84 → 0.93	0.97 → 1.00	1.00 → 1.00	0.85 → 0.98			
AP	0.59 → 0.90	0.55 → 0.73	0.89 → 0.94	0.98 → 0.90	0.75 → 0.87			

Technical Specifications

Recommended Resolution 0.3 m - 10 m

Applicable Satellites Applicable to more than 20 high- to low-resolution satellite types


Input Data RGB / RGBN

Output Format Raster (GeoTiff, PNG / 8bit , 16bit)

Gap-Filling

The images illustrate the cloud and cloud-shadow masking and gap-filling process applied to Sentinel-2 (10 m) imagery for the Korean peninsula

Gap-filling



Technical Specifications

Recommended Resolution ~ 30 m

Training Data Landsat 8-9 (30 m), Sentinel-2 (10 m)

Input Data RGB + a

Output Format Raster (GeoTiff, PNG / 8bit , 16bit)

Key Advantages

1 Deep learning-based precise cloud detection

Leveraging advanced deep learning models, cloud-covered areas are detected far more accurately than with conventional threshold-based methods.

2 Continuous monitoring without cloud constraints

By reconstructing areas obscured by clouds and cloud shadows, continuous observation becomes possible without interruption, while preserving both spatial and temporal resolution.

3 Seamless restoration of cloud-obscured areas

Advanced machine learning algorithms naturally reconstruct missing regions, preserving land-cover patterns even in complex terrain.


Purpose-built for time-series intelligence

Delivers gap-free time-series imagery for use cases that demand continuous monitoring, including land-cover change detection, agricultural monitoring, and water resource management.



Gen Al-Based Customer-Specific Copilot System

Copilot System Example



Key Advantages

User-friendly chatbot interface

An intuitive, conversational system that lets users easily request satellite image analysis and receive their results in no time.

Proactive, automated reporting


When a disaster occurs, the system automatically runs the analysis and delivers a report to the user, without requiring any manual request.

On-demand, deeper analysis

Once an initial report has been generated, users can immediately request additional or more detailed analyses to support in-depth decision-making.

24/7 Availability

The Gen Al system delivers essential information instantly, without time constraints or waiting periods, enabling timely decision-making during critical moments.



Service Delivery Method

We offer the solution through three options, customized to the customer's specific needs

1

On-Demand

We offer in-depth analysis for the required location and time, based on a single project.

Key Features

- Satellite Imagery Purchase Proxy
 Service Included
- Executed on a Single Project Basis

Key Customers

Insurance Companies, Government Agencies, Disaster Response Teams, etc. 2

Subscription

We provide periodic monitoring and change detection services for designated areas.

Key Features

- AOI and Frequency set by customers
 - Periodic Reports

Key Customers

Government Agencies, Local Governments, Facility Management Organizations, etc.

3

License

We provide analytical software and APIs that can be integrated into your own system.

Key Features

- API Provision and Integration
- Technical Support Services

Key Customers

Private Companies, Research Institutes, Solution Developers, etc.

How to Apply for the Service

6-Phase Process for Satellite Imagery Analytics Service Usage

